

ah!60 Pivot







ah!60 Pivot

introduction

ah!60 excels as an exterior opening system comprising a balanced combination of thermal and acoustic behavior, suited to all climates. It is a system that allows double glazed surface areas of up to 29m², or triple glazed of up to 19m². Both options use 23mm vertical profiles.

pivot: opening system that functions by means of a pivoting component with a central or side rotation axis, allowing the execution of large glass surfaces. It comes with different safety latch options.

opening system

						
birail	•	•	•	•	•	•
multirail	•	•	•	•	•	•

main dimensions up to

vertical profile	23mm
max. leaf height	9000mm
max. leaf width	3000mm
max. weight	up to 3.000kg / glass pannel
max. glazed area	double glazing up to 29m ²
	triple glazing up to 19m ²
glass thickness	60mm

performance up to

light transmission	up to 98%
thermal coefficient	Uw = 0.708W/m ² .K (Ug = 0.41W/m ² .K)
security	RC4 / WK4
sound insulation	44dB
water tightness	Class 4A
air tightness	Class 2
wind tightness	Class C5



House in La Moraleja
 Otto Medem Arquitectura
 Madrid, Spain
 © Antonio Lachos

version / leaf weight		profile / leaf height		lock	
				frame	leaf
pivot	<140Kg	standard	<2800mm	manual	•
floorspring	>140Kg <600Kg	reinforced	>2800mm	motorised	• •

construction



finishes	All panoramah! ® System series guarantee that the following finishes are carried out by duly certified entities, according to QUALICOAT and QUALANOD directives: Lacquered RAL, Lacquered PVDS, Anodized, Satin, Polished and Repellent.
add-ons	Heated glass / intrusion detectors
motorisation	Our motorisation system can be adapted to all sliding or opening systems allowing a full integration with minimum interference in architectural design with a simplified and very quiet opening.

ah!60 Pivot


pivot common sections, manual lock

1:3

scale



pivot version
<140Kg




floor spring version
>140Kg <600Kg


ah!60 Pivot

pivot common sections, motorized lock


1:3

scale





Swissbau 2020 | Basel, Switzerland
 Dulcinea Santos & Léonard Kadid
 © panoramah!®



we build ah!



unlimited perspective sa
ch philibert-de-sauvage 37
1219 chatelaine
switzerland

p. +41 21 804 1700
f. +41 21 804 1709

info@panoramah.com
www.panoramah.com

facebook
www.facebook.com/panoramah.ch/

instagram
www.instagram.com/_panoramah_/